

INDUSTRIAL EQUIPMENT • MAJOR STOCKING DISTRIBUTOR ENGINEERING • SALES • SERVICE • PARTS

242 POPLAR STREET • P.O. BOX 8053 • TOLEDO, OH 43605 • (419) 691-3571 • FAX (419) 691-1928 5091 WEST 164TH STREET • CLEVELAND, OHIO 44142 • (216) 265-0666 • FAX (216) 265-0667 1-800-882-1992 (OHIO TOLL FREE) 1-855-691-0621 (MICHIGAN TOLL FREE)

www.tomlinequip.com

TOMLIN GOLD - FLUSH

ROTARY-SCREW COMPRESSOR CLEANER AND SYSTEM FLUSH

Applications:

Tomlin Gold - Flush is a premium quality synthetic fluid designed to dissolve varnish and solubilize sludge from rotary-screw air compressors during operation. It can also be used as a system flush when changing-over from mineral to synthetic oils in order to reduce contamination due to oil carry-over. Regular use of Tomlin Gold - Flush will help you get the most out of your synthetic oil and your compressor by removing varnish and reducing operating temperature.

Typical Industrial Applications:

- Rotary Screw Compressor
- Rotary Vane Compressor

Centrifugal Compressor

Performance Benefits:

- Solubilizes and removes harmful varnish and "sludge"
- 100% synthetic
- Compatible with mineral oils as well as Tomlin Equipment synthetic oils
- Contains no aromatic solvents or hazardous ingredients
- Contains additives so that it can be used as a lubricant for up to 500 hours
- High flash point
- Caution: May affect some paint finishes, plastics and seals
- USDA H-2 authorized

PROPERTY	TEST METHOD	Tomlin Gold - Flush
ISO Grade	ASTM D2422	32
SAE Grade	SAE J-300	10
Viscosity @ 40°C,cSt	ASTM D445	37.1
Viscosity @ 100°C,cSt	ASTM D445	6.5
Viscosity Index	ASTM D2270	126
Flash Point, °C/°F	ASTM D92	204/400
Pour Point, °C/°F	ASTM D97	-45/-49
Copper Corrosion	ASTM D130	1b
Demulsibility	ASTM D1401	Excellent
Specific Gravity	ASTM D1298	0.94